



Product data sheet

Actoderm® – Skin and hand sanitizer



Characteristics

- 30 sec. for hygienic hand disinfection (EN 1500), 3 min. for surgical hand disinfection (EN 12791)
- prevents the transmission of pathogens
- bactericidal (incl. MRSA, VRE, *A. baumannii*), fungicidal and limited virucidal (incl. HBV, HIV, HCV, Vaccinia-, Rota- and Corona viruses)
- suitable for frequent use
- skin-friendly



Application notes

Actoderm® is suitable for hygienic and surgical hand skin disinfection before operations, excisions, injections and punctures. To be used before putting on and taking off gloves and before and after contact with patients to avoid contamination. Take off jewelry before use. Fingernails should not be too long. **Hygienic hand disinfection:** Take a sufficient amount of **Actoderm®** (ca. 4 ml) into the palm and rub hands carefully for at least 30 sec. according to EN 1500. Keep hands moist during the whole process, if necessary take more disinfectant. **Surgical hand disinfection:** Take a sufficient amount **Actoderm®** (ca. 4 ml) into the palm and run hands, including elbows and wrists for at least 3 min. according to EN 12791. Dry hands with a sterile cloth.

Not suitable for disinfection of open wounds and mucous membranes. Occasionally, redness and light burning may occur. In such cases, it is recommended to intensify general skin care. Allergic reactions to one of the ingredients are rare. Please check before use.

Efficacy / Exposure time

Efficacy	Concentration	Exposure time
bactericidal (incl. MRSA, VRE, <i>A. baumannii</i> , tuberculosis)	100 %	30 sec.
limited virucidal (Rota- and Corona viruses)	100 %	30 sec.
Vaccinia viruses	80 %	15 sec.
fungicidal (<i>C. albicans</i>)	100 %	15 sec.

Additional informations

Always read the instructions for use and the safety data sheet before use.

Extract from product informations

100 g of the solution contains: 62.8 g 2-Propanol (70% v/v) and auxiliary substances (butyldiglykol, lanolin). **Safety instructions: Danger!** Highly flammable liquid and vapor. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke. Do not spray against open flames or other ignition sources. Keep container tightly closed. Causes serious eye irritation. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause drowsiness and dizziness. Call a POISON CENTER/ doctor if you feel unwell. If eye irritation persists: Get medical advice/ attention. Keep out of reach of children. Durable 3 years at room temperature. Consume opened packaging within 6 weeks. **Disposal:** Disposal according to local regulations.

Chemical-physical properties

Appearance: light-blue liquid

Odor: alcoholic

pH value: 6 – 8 at 25 °C

Packaging

Unit	Article no.	Packaging unit
50 ml	06.2501.50	200
100 ml	06.2501.100	100
250 ml	06.2501.250	40
500 ml	06.2501.500	20
1 L	06.2501.1	10
5 L	06.2501.5	4